



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

Date : May 3, 2006
Patent No : 6,857,121
Inventor : Wadt
Issued : Feb. 15, 2005
For : RESPNSIVE SYSTEM FOR DIGITAL SIGNAL PROCESSING AND METHOD FOR OPERATION
OF A RESPONSIVE SYSTEM

Re: Request for Certificate of Correction

Consideration has been given your request for the issuance of a certificate of correction for the above-identified patent under the provisions of Rule 1.322.

Respecting the alleged error(s) regarding Item (30), after inspection of the application, and a 2nd review concluding with the same result, as the error is the applicant's and the certificate of correction requires a \$100.00 fee, which is separate from the petition, as the certificate still cannot proceed with processing until the required fee of \$100.00 is submitted. Therefore, being no fault of the Patent and Trademark Office, no correction(s) is/are in order here under United States Codes (U.S.C.) 254 or 255 and the Code of Federal Regulation (C.F.R.) 1.322 or 1.323).

In view of the foregoing, your request is hereby denied.

Further consideration, will be given upon receipt of the appropriate \$100.00 for the issuing of a certificate of correction, if applicant's error.

Note: This is a general hint, which may decrease the processing time of your request. If you obtain data that clearly shows the attorney/applicant is not in error, simply include proving/supporting documentation and associated post card receipts, along with your certificate of correction or reconsideration via postal mail, not by fax. If you do not have supporting documentation that clearly shows the attorney/applicant is not in error and verifies that the PTO is in error regarding the matter in your request, then, the appropriate fee of \$100.00 with your "Certificate of Correction" or "Reconsideration Certificate of Correction" - will be necessary. Without supporting documentation, depending upon the matter in your request, it is possible - that in addition, a petition with its appropriate fee of \$130.00 may be necessary, or the request may be denied. Please be advised that - "identification of the exact point of error by reference to column and line number of the printed patent" provides clarity for processing a request. Please see the MPEP for further instruction and understanding.

Stacy Powell, Sr.
For Cecelia B. Newman, Supervisor
Decisions & Certificates of
Correction Branch
(703) 308-9390 ext. 120 or (703) 305-8309

Lerner and Greenberg P.A.
P.O. Box 2480
Hollywood, FL 33020

CBN/spsr